

Listing 1: Simple code listing.

```
1 // this is a simple code listing:  
2 println("hello kotlin from latex")
```

Listing 2: Example kotlin code.

```

1  /* Block comment */
2  package hello
3  import kotlin.collections.* // line comment
4
5  /**
6   * Doc comment here for 'SomeClass'
7   * @see Iterator#next()
8   */
9  @Deprecated("Deprecated class")
10 private class MyClass<out T : Iterable<T>>(var prop1 : Int) {
11     fun foo(nullable : String?, r : Runnable, f : () -> Int,
12            fl : FunctionLike, dyn: dynamic) {
13         println("length\nis ${nullable?.length}\n")
14         val ints = java.util.ArrayList<Int?>(2)
15         ints[0] = 102 + f() + fl()
16         val myFun = { -> "" };
17         var ref = ints.size
18         ints.lastIndex + globalCounter
19         ints.forEach lit@ {
20             if (it == null) return@lit
21             println(it + ref)
22         }
23         dyn.dynamicCall()
24         dyn.dynamicProp = 5
25     }
26
27     val test = """
28         hello
29         world
30         kotlin"""
31
32     override fun hashCode(): Int {
33         return super.hashCode() * 31
34     }
35
36     fun Int?.bar() {
37         if (this != null) {
38             println(message = toString())
39         } else {
40             println(this.toString())
41         }
42     }
43
44     var globalCounter : Int = 5
45     get = field
46
47     abstract class Abstract
48
49     object Obj
50
51     enum class E { A, B }
52
53     interface FunctionLike {
54         operator fun invoke() = 1
55     }
56
57     open class Bar {
58         protected lateinit var x: String
59
60         tailrec infix fun thing(x: Int): Int {
61             // ...
62         }
63     }
64
65     inline fun <reified T: Any> doStuff() = T::class
66
67     const val NUMBER = 42

```